

SUPPLEMENTAL EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Walter Roloff on September 18, 2008.

The application has been amended as follows:

The amendment of the specification filed on August 20, 2007 contained an error where the sentence that was indicated as to be amended did not exist in the paragraph indicated.

On page 8 line 17 of the specification, "A finger is then inserted behind the obstructed foramen, so as to receive" should be --A finger is then inserted behind the obturator foramen, so as to receive --.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **DIANNE DORNBUSCH** whose telephone number is (571)270-3515. The examiner can normally be reached on Monday through Thursday 7:30 am to 5:00 pm Eastern.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jackie Ho can be reached on (571) 272-4696. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3773

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/D. D./

Examiner, Art Unit 3773

/Julian W. Woo/

Primary Examiner, Art Unit 3773